



# ELITE

## SPORT Series Galvanized Enclosed Trailers 7'



	7 x 12+5 TA	7 X 14+5 TA	7 X 16+5 TA	7 X 18+5 TA
<b>Interior Length</b>	143" + 60" V-NOSE	167" + 60" V-NOSE	191" + 60" V-NOSE	215" + 60" V-NOSE
<b>Overall Length</b>	235"	259"	283"	307"
<b>Interior Width</b>	79.5"	79.5"	79.5"	79.5"
<b>Overall Width</b>	100"	100"	100"	100"
<b>Ceiling Height (Center)</b>	72"	72"	72"	72"
<b>Ramp Door Opening (W x H)</b> Capacity: 2700 lb	76.75" x 68"	76.75" x 68"	76.75" x 68"	76.75" x 68"
<b>V-Nose Ramp Door Opening (W x H)</b> Capacity: 2700 lb	58" x 67"	58" x 67"	58" x 67"	58" x 67"
<b>Overall Height</b>	90.5"	90.5"	90.5"	90.5"
<b>Axles</b>	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb
<b>Hitch Ball Size</b>	2 5/16"	2 5/16"	2 5/16"	2 5/16"
<b>Connector</b>	7-Wire	7-Wire	7-Wire	7-Wire
<b>Brake Type</b>	Electric	Electric	Electric	Electric
<b>Curb Weight</b>	2050 lb / 930 kg	2200 lb / 998 kg	2350 lb / 1066 kg	2500 lb / 1134 kg
<b>GVWR</b> Net mass + load capacity	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg



CALL US 1-833-333-1791

[www.GATORtrailer.ca](http://www.GATORtrailer.ca)  
Specifications may vary without notice

REV. 10-22-2025



### Core Trailer Specifications

- Galvanized Steel Frame
- 16" Structural Aluminum Panels
- Seamless One-Piece Aluminum Roof
- 32" x 69" Side Door (Passenger Side)
- 24" Aluminum Kick Plates on Interior Door Sides
- Aluminum Door Holders
- Bar Lock System
- 3/8" Plywood Panels for Interior Walls
- 5/8" Plywood Flooring with Anti-Slip Layer
- Side Vents on Both Sides
- Trusses Pre-Planned for Roof Vent
- LED Lights
- 24" Aluminum Checker Plate Stone Guard
- 5K Jack with Zinc Plated Finish and 4" x 8" Foot
- Industrial Leaf Spring Suspension with Greasable Bolts
- Galvanized Axles with Greasable Bearings
- Break-Away System
- 15" Radial Tires on Galvanized Rims
- Chain Support with Multiple Holes, including Chains & Hooks
- Adjustable Height Coupler

### Additional Options

- Heavy Duty Ramp Door, Capacity: 4500 lb
- Wooden Transition Ramp with Anti-Slip Layer, Capacity: 2700 lb
- Torsion Axles, 5.2K or 7k Axles
- 14" x 21" or 14" x 44" Windows
- Gas Door and/or Generator Door
- Roof Vent or Vent Cover
- V-Nose Ladder
- Spare Wheel (Full Size)
- Mounting Bracket for Spare Wheel
- D-Rings and/or E-Track
- Electricity (Switches, Outlets, etc.)
- Backup Lights
- Aluminum Checker Plate Fenders
- 32" or 48" Aluminum Checker Plate Stone Guard
- RV Flush Lock (Bar Lock Included)
- AMPLock Padlock Trio
- Flooring and Walls Upgrades (Thickness, Membrane, etc.)
- Snowmobile Glides
- 16" Tongue Extension
- Electric Jack
- Aluminum Wheel Rims, and Much More!

### 7' Ceiling Height Trailers

- Side Door (Passenger Side) (W x H): 32" x 72"
- Front Ramp Door Opening (W x H): 58" x 79"
- Rear Ramp Door Opening (W x H): 76.75" x 80"
- Overall Height: 104.5"

### Tires Specifications

- 3.5K Axles: 205/75R15, 6-ply, 5 Studs
- 5.2K Axles: 225/75R15, 8-ply, 6 Studs
- 7K Axles: 235/85R16, 10-ply, 8 Studs

### 8' Ceiling Height Trailers

- Side Door (Passenger Side) (W x H): 32" x 72"
- Front Ramp Door Opening (W x H): 58" x 91"
- Rear Ramp Door Opening (W x H): 76.75" x 92"
- Overall Height: 118.5"

### Most Popular Colors





# ELITE

## SPORT Series Galvanized Enclosed Trailers 8.5'



	8.5 x 12+5 TA	8.5 X 14+5 TA	8.5 X 16+5 TA	8.5 X 18+5 TA	8.5 X 20+5 TA	8.5 X 22+5 TA
<b>Interior Length</b>	143" + 60" V-NOSE	167" + 60" V-NOSE	191" + 60" V-NOSE	215" + 60" V-NOSE	239" + 60" V-NOSE	263" + 60" V-NOSE
<b>Overall Length</b>	235"	259"	283"	307"	331"	355"
<b>Interior Width</b>	95.75"	95.75"	95.75"	95.75"	95.75"	95.75"
<b>Overall Width</b>	102"	102"	102"	102"	102"	102"
<b>Ceiling Height (Center)</b>	72"	72"	72"	72"	72"	72"
<b>Ramp Door Opening (W x H)</b> Capacity: 2700 lb	93" x 68"	93" x 68"	93" x 68"	93" x 68"	93" x 68"	93" x 68"
<b>V-Nose Ramp Door Opening (W x H)</b> Capacity: 2700 lb	58" x 67"	58" x 67"	58" x 67"	58" x 67"	58" x 67"	58" x 67"
<b>Overall Height</b>	90.5"	90.5"	90.5"	90.5"	90.5"	90.5"
<b>Axles</b>	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb	2 x 3500 lb
<b>Hitch Ball Size</b>	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
<b>Connector</b>	7-Wire	7-Wire	7-Wire	7-Wire	7-Wire	7-Wire
<b>Brake Type</b>	Electric	Electric	Electric	Electric	Electric	Electric
<b>Curb Weight</b>	2275 lb / 1032 kg	2400 lb / 1089 kg	2525 lb / 1145 kg	2875 lb / 1304 kg	3000 lb / 1361 kg	3125 lb / 1418 kg
<b>GVWR</b> Net mass + load capacity	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg	7000 lb / 3175 kg

CALL US 1-833-333-1791

[www.GATORtrailer.ca](http://www.GATORtrailer.ca)  
Specifications may vary without notice

REV. 10-22-2025



### Core Trailer Specifications

- Galvanized Steel Frame
- 16" Structural Aluminum Panels
- Seamless One-Piece Aluminum Roof
- 32" x 69" Side Door (Passenger Side)
- 24" Aluminum Kick Plates on Interior Door Sides
- 3/8" Plywood Panels for Interior Walls
- 5/8" Plywood Flooring with Anti-Slip Layer
- 84" Inside-to-Inside Distance Between Fenders
- Aluminum Door Holders
- Bar Lock System
- Side Vents on Both Sides
- Trusses Pre-Planned for Roof Vent
- LED Lights
- 32" Aluminum Checker Plate Stone Guard
- 5K Jack with Zinc Plated Finish and 4" x 8" Foot
- Industrial Leaf Spring Suspension with Greasable Bolts
- Galvanized Axles with Greasable Bearings
- Break-Away System
- 15" Radial Tires on Galvanized Rims
- Chains and Hooks with Multiple Hole Support
- Adjustable Height Coupler

### Additional Options

- Heavy Duty Ramp Door, Capacity: 4500 lb
- Wooden Transition Ramp with Anti-Slip Layer, Capacity: 2700 lb
- Torsion Axles, 5.2K or 7k Axles
- 14" x 21" or 14" x 44" Windows
- Gas Door and/or Generator Door
- Roof Vent or Vent Cover
- Spare Wheel (Full Size)
- Mounting Bracket for Spare Wheel
- D-Rings and/or E-Track
- Electricity (Switches, Outlets, etc.)
- Backup Lights
- 48" Aluminum Checker Plate Stone Guard
- RV Flush Lock (Bar Lock Included)
- Flooring and Walls Upgrades (Membrane, Thickness, etc.)
- AMP/LOCK Padlock Trio
- Snowmobile Glides
- 16" Tongue Extension
- Electric Jack
- Aluminum Wheel Rims, and Much More!

### 7' Ceiling Height Trailers

- Side Door (Passenger Side) (W x H): 32" x 72"
- Front Ramp Door Opening Height (W x H): 58" x 79"
- Rear Ramp Door Opening Height (W x H): 93" x 80"
- Overall Height: 104.5"

### Tires Specifications

- 3.5K Axles: 205/75R15, 6-ply, 5 Studs
- 5.2K Axles: 225/75R15, 8-ply, 6 Studs
- 7K Axles: 235/85R16, 10-ply, 8 Studs

### 8' Ceiling Height Trailers

- Side Door (Passenger Side) (W x H): 32" x 72"
- Front Ramp Door Opening Height (W x H): 58" x 91"
- Rear Ramp Door Opening Height (W x H): 93" x 92"
- Overall Height: 118.5"

### Most Popular Colors



Black Charcoal Light Grey Red White

